

Refine Search

Search Results -

Terms	Documents
L8 not L9	23

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L10



Refine Search

Recall Text



Clear

Interrupt

Search History

DATE: Tuesday, February 14, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>			
<u>L10</u>	l8 not l9	23	<u>L10</u>
<u>L9</u>	l3 and L8	3	<u>L9</u>
<u>L8</u>	(re\$1order\$4 or re\$1organiz\$6) with L7	26	<u>L8</u>
<u>L7</u>	hash\$5 near3 table	6553	<u>L7</u>
<u>L6</u>	l1 and l3 and L5	9	<u>L6</u>
<u>L5</u>	(re\$1order\$4 or re\$1organiz\$6) with L4	155	<u>L5</u>
<u>L4</u>	(map\$4 or translat\$6 or conver\$6) near2 table	59751	<u>L4</u>
<u>L3</u>	(buffer\$4 or queu\$4) with (access\$2 or request\$2 or transcation\$2 or command\$2)	103540	<u>L3</u>
<u>L2</u>	(re\$1order\$4 or re\$1organiz\$6) with (access\$2 or request\$2 or transcation\$2 or command\$2)	12241	<u>L2</u>
<u>L1</u>	arbit\$7	491020	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L1 and L20	7

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L21

Search History

 DATE: Tuesday, February 14, 2006 [Printable Copy](#) [Create Case](#)

Set
Name Query
 side by
 side

Hit
Count Set
 Name
 result
 set

DB=USPT; PLUR=NO; OP=ADJ

L21 l1 and L20

7 L21

L20 l3 and L19

13 L20

L19 l17 and L18

13 L19

L18 (re\$order\$4 or re\$1organiz\$6)

94184 L18

L17 l11 or l14 or l16

55 L17

DB=PGPB,USPT; PLUR=NO; OP=ADJ

L16 ('5058051'|'5060145'|'5222223'|'5280597'|'5323489'|'5379379'|'5546546'|
 '5586282'|'5617559'|'5619730'|'5680577'|'5696910'|'5732236'|'5822772'|
 '5835962'|'5873119'|'5893136'|'5903916'|'5920898'|'5940848'|'5983325'|
 '6052756')![pn]

22 L16

DB=USPT,PGPB; PLUR=NO; OP=ADJ

L15 ('5058051'|'5060145'|'5222223'|'5280597'|'5323489'|'5379379'|'5546546'|
 '5586282'|'5617559'|'5619730'|'5680577'|'5696910'|'5732236'|'5822772'|

22 L15

'5835962'| '5873119'| '5893136'| '5903916'| '5920898'| '5940848'| '5983325'|
 '6052756')![pn]
DB=PGPB,USPT; PLUR=NO; OP=ADJ

L14 ('5265235'| '5325525'| '5638534'| '5655096'| '5974571'| '5990913'| '6055598'|
 '6098168'| '6122265'| '6122727'| '6182177'| '6212622'| '6279064')![pn] 13 L14

DB=USPT,PGPB; PLUR=NO; OP=ADJ

L13 ('5265235'| '5325525'| '5638534'| '5655096'| '5974571'| '5990913'| '6055598'|
 '6098168'| '6122265'| '6122727'| '6182177'| '6212622'| '6279064')![pn] 13 L13

DB=USPT; PLUR=NO; OP=ADJ

L12 (6212611 or 6510474).pn. 2 L12

L11 6212611 or 6510474 20 L11

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ

L10 l8 not l9 23 L10

L9 l3 and L8 3 L9

L8 (re\$order\$4 or re\$1organiz\$6) with L7 26 L8

L7 hash\$5 near3 table 6553 L7

L6 l1 and l3 and L5 9 L6

L5 (re\$order\$4 or re\$1organiz\$6) with L4 155 L5

L4 (map\$4 or translat\$6 or conver\$6) near2 table 59751 L4

L3 (buffer\$4 or queue\$4) with (access\$2 or request\$2 or transcation\$2 or command\$2) 103540 L3

L2 (re\$order\$4 or re\$1organiz\$6) with (access\$2 or request\$2 or transcation\$2 or
 command\$2) 12241 L2

L1 arbit\$7 491020 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L9 and L23	11

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L24

Search History

 DATE: Tuesday, February 14, 2006 [Printable Copy](#) [Create Case](#)



<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=NO; OP=ADJ</i>		
<u>L24</u> 19 and L23	11	<u>L24</u>
<u>L23</u> 111 and L22	4704	<u>L23</u>
<u>L22</u> (buffer\$4 or queu\$5) with (transaction\$2 or command\$2 or request\$2)	36763	<u>L22</u>
<u>L21</u> 19 and L20	2	<u>L21</u>
<u>L20</u> (map\$4 or translat\$6 or conver\$6) same 111	15014	<u>L20</u>
<u>L19</u> L18 not 117	2	<u>L19</u>
<u>L18</u> (map\$4 or translat\$6 or conver\$6) and 19 and 111 and 116	5	<u>L18</u>
<u>L17</u> 19 and 111 and 113 and L16	3	<u>L17</u>
<u>L16</u> arbit\$7	204251	<u>L16</u>
<u>L15</u> 19 and L14	1	<u>L15</u>
<u>L14</u> 111 same L13	4546	<u>L14</u>
<u>L13</u> table	905686	<u>L13</u>
<u>L12</u> 19 and 110 and L11	0	<u>L12</u>

<u>L11</u>	re\$1order\$4	89067	<u>L11</u>
<u>L10</u>	hash\$4 near2 table	2879	<u>L10</u>
<u>L9</u>	l1 or L8	55	<u>L9</u>
<u>L8</u>	6510474 or 6212611	20	<u>L8</u>
<u>L7</u>	l1 or l4 or L6	35	<u>L7</u>
	<i>DB=PGPB,USPT; PLUR=NO; OP=ADJ</i>		
<u>L6</u>	('5058051' '5060145' '5222223' '5280597' '5323489' '5379379' '5546546' '5586282' '5617559' '5619730' '5680577' '5696910' '5732236' '5822772' '5835962' '5873119' '5893136' '5903916' '5920898' '5940848' '5983325' '6052756')![pn]	22	<u>L6</u>
	<i>DB=USPT,PGPB; PLUR=NO; OP=ADJ</i>		
<u>L5</u>	('5058051' '5060145' '5222223' '5280597' '5323489' '5379379' '5546546' '5586282' '5617559' '5619730' '5680577' '5696910' '5732236' '5822772' '5835962' '5873119' '5893136' '5903916' '5920898' '5940848' '5983325' '6052756')![pn]	22	<u>L5</u>
	<i>DB=PGPB,USPT; PLUR=NO; OP=ADJ</i>		
<u>L4</u>	('5265235' '5325525' '5638534' '5655096' '5974571' '5990913' '6055598' '6098168' '6122265' '6122727' '6182177' '6212622' '6279064')![pn]	13	<u>L4</u>
	<i>DB=USPT,PGPB; PLUR=NO; OP=ADJ</i>		
<u>L3</u>	('5265235' '5325525' '5638534' '5655096' '5974571' '5990913' '6055598' '6098168' '6122265' '6122727' '6182177' '6212622' '6279064')![pn]	13	<u>L3</u>
	<i>DB=USPT; PLUR=NO; OP=ADJ</i>		
<u>L2</u>	(6510474 or 6212611).pn.	2	<u>L2</u>
<u>L1</u>	(5058051 or 5060145 or 5222223 or 5280597 or 5323489 or 5379379 or 5546546 or 5586282 or 5617559 or 5619730 or 5680577 or 5696910 or 5732236 or 5822772 or 5835962 or 5873119 or 5893136 or 5903916 or 5920898 or 5940848 or 5983325 or 6052756 or 5265235 or 5325525 or 5638534 or 5655096 or 5974571 or 5990913 or 6055598 or 6098168 or 6122265 or 6122727 or 6182177 or 6212622 or 6279064).pn.	35	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	122 and L28		
--------------	-------------	---	---

Display:	<input type="text" value="15"/>	Documents in Display Format:	<input type="text" value="CIT,AB"/>	Starting with Number	<input type="text" value="1"/>
-----------------	---------------------------------	-------------------------------------	-------------------------------------	-----------------------------	--------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Tuesday, February 14, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=NO; OP=ADJ</i>		
<u>L29</u> 122 and L28	10	<u>L29</u>
<u>L28</u> 111 same L26	22	<u>L28</u>
<u>L27</u> 111 and L26	392	<u>L27</u>
<u>L26</u> L25 same (map\$4 or translat\$6 or conver\$6)	3721	<u>L26</u>
<u>L25</u> count\$5 with (transcation\$2 or request\$2 or command\$2)	27612	<u>L25</u>
<u>L24</u> 19 and L23	11	<u>L24</u>
<u>L23</u> 111 and L22	4704	<u>L23</u>
<u>L22</u> (buffer\$4 or queu\$5) with (transaction\$2 or command\$2 or request\$2)	36763	<u>L22</u>
<u>L21</u> 19 and L20	2	<u>L21</u>
<u>L20</u> (map\$4 or translat\$6 or conver\$6) same 111	15014	<u>L20</u>
<u>L19</u> L18 not 117	2	<u>L19</u>
<u>L18</u> (map\$4 or translat\$6 or conver\$6) and 19 and 111 and 116	5	<u>L18</u>
<u>L17</u> 19 and 111 and 113 and L16	3	<u>L17</u>
<u>L16</u> arbit\$7	204251	<u>L16</u>
<u>L15</u> 19 and L14	1	<u>L15</u>

<u>L14</u>	l11 same L13	4546	<u>L14</u>
<u>L13</u>	table	905686	<u>L13</u>
<u>L12</u>	l9 and l10 and L11	0	<u>L12</u>
<u>L11</u>	re\$1order\$4	89067	<u>L11</u>
<u>L10</u>	hash\$4 near2 table	2879	<u>L10</u>
<u>L9</u>	l1 or L8	55	<u>L9</u>
<u>L8</u>	6510474 or 6212611	20	<u>L8</u>
<u>L7</u>	l1 or l4 or L6	35	<u>L7</u>
<i>DB=PGPB,USPT; PLUR=NO; OP=ADJ</i>			
<u>L6</u>	('5058051' '5060145' '5222223' '5280597' '5323489' '5379379' '5546546' '5586282' '5617559' '5619730' '5680577' '5696910' '5732236' '5822772' '5835962' '5873119' '5893136' '5903916' '5920898' '5940848' '5983325' '6052756')![pn]	22	<u>L6</u>
<i>DB=USPT,PGPB; PLUR=NO; OP=ADJ</i>			
<u>L5</u>	('5058051' '5060145' '5222223' '5280597' '5323489' '5379379' '5546546' '5586282' '5617559' '5619730' '5680577' '5696910' '5732236' '5822772' '5835962' '5873119' '5893136' '5903916' '5920898' '5940848' '5983325' '6052756')![pn]	22	<u>L5</u>
<i>DB=PGPB,USPT; PLUR=NO; OP=ADJ</i>			
<u>L4</u>	('5265235' '5325525' '5638534' '5655096' '5974571' '5990913' '6055598' '6098168' '6122265' '6122727' '6182177' '6212622' '6279064')![pn]	13	<u>L4</u>
<i>DB=USPT,PGPB; PLUR=NO; OP=ADJ</i>			
<u>L3</u>	('5265235' '5325525' '5638534' '5655096' '5974571' '5990913' '6055598' '6098168' '6122265' '6122727' '6182177' '6212622' '6279064')![pn]	13	<u>L3</u>
<i>DB=USPT; PLUR=NO; OP=ADJ</i>			
<u>L2</u>	(6510474 or 6212611).pn.	2	<u>L2</u>
<u>L1</u>	(5058051 or 5060145 or 5222223 or 5280597 or 5323489 or 5379379 or 5546546 or 5586282 or 5617559 or 5619730 or 5680577 or 5696910 or 5732236 or 5822772 or 5835962 or 5873119 or 5893136 or 5903916 or 5920898 or 5940848 or 5983325 or 6052756 or 5265235 or 5325525 or 5638534 or 5655096 or 5974571 or 5990913 or 6055598 or 6098168 or 6122265 or 6122727 or 6182177 or 6212622 or 6279064).pn.	35	<u>L1</u>

END OF SEARCH HISTORY